



Nota Científica

Distribution and host records of *Melittobia* (Hymenoptera: Eulophidae) from Mexico

Distribución y huéspedes de *Melittobia* (Hymenoptera: Eulophidae) en México

Jorge M. González^{1*}, Robert W. Matthews² and S. Bradleigh Vinson¹

¹Texas A & M. University, Department of Entomology, Entomology Research Laboratory, College Station, Texas 77843-2475, USA.

²University of Georgia, Department of Entomology, Athens, Georgia 30602, USA.

*Correspondent: jmgonzalez@tamu.edu

Abstract. Specimens of a parasitoid wasp attacking pupae of *Anastrepha ludens* (Loew) in Mexico were identified as *Melittobia digitata* Dahms, and after a revision of several worldwide insect collections, *M. australica* Girault was also found to be present in Mexico. Distribution, diagnosis, hosts and collection locations are given for both species. The possibility that *M. acasta* (Walker) is also present in Mexico is discussed.

Key words: Eulophidae, *Melittobia australica*, *M. digitata*, *M. acasta*, *Anastrepha ludens*, Mexico, distribution.

Resumen. Se identificaron como *Melittobia digitata* Dahms ejemplares de un parasitoide atacando pupas de *Anastrepha ludens* (Loew) proveniente de México. Luego de revisar numerosas colecciones de insectos de diversas partes del mundo, pudimos encontrar también a *M. australica* (Girault) en el país. Se presenta la distribución, diagnosis, hospedadores y lugares en los cuales se han colectado ambas especies. Se discute la posibilidad que *M. acasta* (Walker) también se encuentre en el país.

Palabras clave: Eulophidae, *Melittobia australica*, *M. digitata*, *M. acasta*, *Anastrepha ludens*, México, distribución.

Melittobia Westwood, 1847 wasps are common gregarious ectoparasitoids of aculeate Hymenoptera, but also attack insects of at least 4 other orders (Dahms, 1984b; González and Matthews, 2002, 2005b; González et al., 2004b). They can become pests of bees, especially those manipulated for crop pollination (González et al., 2004b). It is a cosmopolitan genus with 13 described species (Dahms, 1984a). Eight species are reported from America (north of Mexico), according to the most recent checklist for the region (La Salle, 1993). Even though, González and Terán (1996), González and Matthews (2005a), González et al. (2004b) and De Santis (1949, 1957, 1967, 1979, 1981, 1983, 1989) list or mention the presence of some *Melittobia* species from various Latin American countries, until recently there was no record from Mexico. The first mention of *Melittobia* in Mexico (Ruiz-Cancino et al., 2004) lacks specific details, which is surprising given that the Chalcidoidea are one of the most important and best-studied wasp groups in the country

(González-Hernández, 2000).

We identify herein *Melittobia australica* Girault and *M. digitata* Dahms from various Mexican states. Specimens examined are deposited in the entomological collections of the University of Georgia (UGA), Texas A & M University (TAMU), the Australian National Insect Collection (ANIC), and the Entomology Research Museum of the University of California Riverside (UCR).

Melittobia australica Girault

Distribution: Baja California Sur, Hidalgo, Sinaloa.

Hosts: *Euodynerus hidalgo vierecki* (Cameron) (Vespididae), *Chrysis wasbaueri* Bohart, (Chrysididae); and *Sceliphron* sp. (Sphecidae).

Diagnosis: Females 1.1 – 1.3 mm long. Head, mesosoma, coxae, most of the femora, antennal flagellum dark brown. Pedicel paler than the flagellum but scape is paler than the pedicel. Remaining legs pale brown. Males 1.2 – 1.4 mm long. Honey colored. Head wider than long. Modified antennae with broad scape, expanded evenly towards its apex. A thorough diagnosis is presented by Dahms (1984a).

Material Examined: 26 ♀♀, Mexico, Baja California Sur, 17 km North of La Paz, 16 June 1991, Centro de Investigaciones Biológicas, Coll. M. L. Jiménez (ANIC); 1 ♀, same locality and collector, (an extra label reads) *Melittobia* sp. (*hawaiiensis* group) det. La Salle, 1992 (ANIC); 2 ♂♂, 45 ♀♀, 879 J29. emerged from trap nests. Ex. *Euodynerus vierecki* + *Chrysis wasbaueri*, Hidalgo (Mexico) (ANIC); 4 ♂♂, 12 ♀♀, Mexico, Sinaloa, 14 miles South of Los Mochis, 5 ii.1964, Coll. E. Schlinger, ex. *Sceliphron* larva (1 ♂, 1♀, of the series mounted in slides) (UCR).

Melittobia digitata Dahms

Distribution: Michoacán, Chiapas, Veracruz.

Hosts: *Anastrepha ludens* (Loew). This is the first record of any *Melittobia* species parasitizing fruit flies (*Anastrepha* spp.). It is possible that the *M. digitata* specimens were originally behaving as hyperparasitoids of other parasitic wasps attacking the fruit flies, but under laboratory conditions they find *A. ludens* to be a suitable host (M. Aluja, pers. comm.).

Diagnosis: Females 1.5 – 1.7 mm long. Head, mesosoma, coxae, antennal flagellum dark brown. Trochanter, most of the femora, and metasoma light brown. Scape, pedicel and remaining legs yellow. Males 1.2 – 1.4 mm long. Amber colored. Head, mesosoma, metasoma, and legs paler than the abdomen. Head as wide as long, vertex broadly rounded, genal margins almost straight. Modified antennae with a club-shape scape, with distal cup shape depression and a thumb-like projection on the side, opposite pedicel attachment. A more thorough diagnosis is presented by Dahms (1984a).

Material Examined: 25 ♀♀, Mexico, Chiapas, Soconusco, 1997, M. Aluja. Pupae SELIS Lot#0212778. Host: *Anastrepha ludens* (UGA); 20 ♀♀, Mexico, Michoacán, 2004, M. Aluja. Host: *Anastrepha ludens* (UGA); 50 ♀♀, Xalapa, Veracruz, Mexico, 2005, M. Aluja, Host: *Anastrepha ludens* (TAMU).

Both *M. australica* and *M. digitata* appear to be well established in Mexico, and further collecting will likely expand their known distributions. Although we have confirmed only the presence of *M. australica* and *M. digitata* in the country, it is possible that a third species, *M. acasta* (Walker), occurs there as well. Although *M. acasta* is recognized as the only European species of the genus, thanks probably to commerce, this species has become cosmopolitan (González et al., 2004a, 2004b). Established in USA, Cuba, and Venezuela (González and Terán, 1996; González et al., 2004a, 2004b), countries with which Mexico maintains surface and maritime trade, it will be of no surprise if *M. acasta* is found.

The addition of *A. ludens*, “the Mexican fruit fly”, as

a suitable laboratory host for *M. digitata* is notable and unexpected finding. However, further work is needed to clarify whether this host is attacked in the field. Various other Diptera are also recorded as suitable hosts for *Melittobia* (Dahms, 1984b; González et al., 2004b).

We thank Mike Gates of the Smithsonian Institution, for calling our attention to some *Melittobia* specimens he received from Mexico. Thanks also to Martín Aluja of the Instituto de Ecología, A. C., Veracruz, Mexico, for providing us with Mexican *Melittobia digitata* specimens and general information on hosts and rearing. To Serguei Triapitsyn of the Entomology Research Museum, University of California at Riverside (UCR) and John La Salle of CSIRO’s Australian National Insect Collection (ANIC) for the loan of Mexican *Melittobia* specimens. We also appreciate Mike and Serguei’s comments and suggestions on a preliminary draft of this note.

Literature cited

- Dahms, E. C. 1984a. Revision of the genus *Melittobia* (Chalcidoidea; Eulophidae) with the description of seven new species. *Memoirs of the Queensland Museum* 21:271-336.
- Dahms, E. C. 1984b. A review of the biology of species in the genus *Melittobia* (Hymenoptera: Eulophidae) with interpretations and additions using observations on *Melittobia australica*. *Memoirs of the Queensland Museum* 21:337-360.
- De Santis, L. 1949. Dos notas sobre Calcidoideos Argentinos (Hymenoptera: Chalcidoidea). *Revista del Museo de La Plata (Zoología)* 14:275-281.
- De Santis, L. 1957. Anotaciones sobre calcidoideos Argentinos. *Notas del Museo de Historia Natural. Zoología.* 19:107-119.
- De Santis, L. 1967. Catálogo de los Himenópteros Argentinos de la Serie Parasítica, incluyendo Bethyloidea. Buenos Aires, Comisión de Investigación Científica, 337 pp.
- De Santis, L. 1979. Catálogo de los Himenópteros Calcidoideos de América al sur de los Estados Unidos. Publicación especial de la Comisión de Investigaciones Científicas de la Provincia de Buenos Aires, 488 pp.
- De Santis, L. 1981. Dos notas sobre insectos Bonaerenses polinizadores de la alfalfa y sus parasitoides. *Revista del Museo de La Plata (N.S.)* 12:227-237.
- De Santis, L. 1983. Catálogo de los Himenópteros Calcidoideos (Hymenoptera) de América al sur de los Estados Unidos, Primer Suplemento. *Revista Peruana de Entomología* 24:1-38.
- De Santis, L. 1989. Catálogo de los Himenópteros Calcidoideos (Hymenoptera) al sur de los Estados Unidos, Segundo Suplemento. *Acta Entomológica Chilena* 15:9-90.
- González, J. M., and J. B. Terán. 1996. Parasitoides del género *Melittobia* Westwood (Hymenoptera: Eulophidae) en Venezuela. Distribución y hospederos. *Boletín de Entomología Venezolana (nueva serie)* 11:139-147.
- González, J. M. and R. W. Matthews. 2002. Development and sex

- ratio of *Melittobia australica* and *M. digitata* (Hymenoptera: Eulophidae) on *M. rotundata* (Hymenoptera: Megachilidae) and *Trypoxylon politum* (Hymenoptera: Sphecidae). *The Great Lakes Entomologist* 35:85-91.
- González, J. M., J. A. Genaro, and R. W. Matthews. 2004a. Species of *Melittobia* (Hymenoptera: Eulophidae) established in Bahamas, Costa Rica, Cuba, Hispaniola, Puerto Rico and Trinidad. *Florida Entomologist* 87:619-620.
- González, J. M., J. B. Terán, and R. W. Matthews. 2004b. Review of the biology of *Melittobia acasta* (Walker) (Hymenoptera: Eulophidae) and additions on development and sex ratio of the species. *Caribbean Journal of Science* 40:52-61.
- González, J. M. and R. W. Matthews. 2005a. An annotated bibliography of *Melittobia* (Hymenoptera: Eulophidae). *Caribbean Journal of Science* 8:1-48.
- González, J. M. and R. W. Matthews. 2005b. Courtship of the two female morphs of *Melittobia digitata* (Hymenoptera: Eulophidae). *Florida Entomologist* 88:258-267.
- González-Hernández, A. 2000. Chalcidoidea (Hymenoptera). *In* Biodiversidad, taxonomía y biogeografía de artrópodos de México. Hacia una síntesis de su conocimiento, volumen II, J. E. Llorente Bousquets, E. González-Soriano and N. Papavero (eds.). Instituto de Biología, UNAM, México, D.F. p. 649-659.
- La Salle, J. 1993. North American genera of Tetrastichinae (Hymenoptera: Eulophidae). *Journal of Natural History* 28:109-236.
- Ruiz-Cancino, E., J. M. Coronado-Blanco, M. Svetlana N. and J. F. Luna Salas. 2004. Adenda a Chalcidoidea (Hymenoptera). *In* Biodiversidad, taxonomía y biogeografía de artrópodos de México. Hacia una síntesis de su conocimiento, volumen IV, J. E. Llorente-Bousquets, J. J. Morrone, O. Yañez and I. Vargas (eds.). Instituto de Biología, UNAM, México, D.F. p. 725-734.